



Discovery Series 5

the low cost lightweight touring home





Discovery Series 5 The low cost lightweight touring home

Acclaimed by public and press alike since its introduction, Discovery has been instrumental in bringing the joys of a touring caravan holiday to a wider audience.

This low-cost light-weight range of touring caravans provides the perfect mobile base for family holidays, with models offering a host of facilities, including a 3kw Truma space heater, a Spinflo 3-burner hob, a new Spinflo Duplex combination oven and grill, and a large Dometic 96 litre refrigerator as standard.

Series 5 models benefit from a host of internal and external upgrades that more accurately reflect the increasing expectations of today's new caravan buyer and come supplied with a market leading warranty package, featuring a transferable six year body shell integrity guarantee, meaning that Discovery is now more desirable than ever before.

So if you're looking for your first touring home then look no further than Discovery, the caravan that is light on its feet and light on your pocket.




Discovery Series 5

Specification includes:

- NEW Full height ABS front panel with high line profile and integral grab handles
- NEW Re-engineered gas bottle locker with gas strut assisted door
- NEW Full height ABS rear panel with integral light cluster and integral grab handles
- NEW Twin section exterior door with moulded interior liner
- NEW Seitz silver framed double glazed windows throughout
- NEW Flush fit awning light
- NEW Truma Crystal II water inlet and submersible pump
- NEW Dometic 96 litre refrigerator with full width freezer compartment
- NEW Spinflo Duplex combined grill and domestic style glass fronted oven plus flame failure device
- NEW Spinflo recessed sink with clip on draining board and ceramic ball mixer tap
- NEW Construction Aircraft style overhead storage lockers with re-profiled locker doors and domestic style metal hinges
- NEW Bailey 'Cherry' furniture veneer
- NEW Standard 'Galaxy' soft furnishings with co-ordinating curtains



Discovery soft furnishings:




Standard Galaxy upholstery

Discovery Series 5

Range layouts




Discovery Mars




2 Berth

Mercury



5 Berth

Neptune



6 Berth

Mars



Discovery Series 5

Product specification

EXTERIOR

Fully bonded exterior body shell with 6-Year Integrity Guarantee | Al-ko galvanised chassis with Euro-axle | Gas strut assisted handbrake | 14" wheels with low profile tyres | Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness : Sides 28mm, Ceiling 31mm & Floor 44mm)

NEW

Full height ABS front panel with high line profile and integral grab handles | Re-engineered gas bottle locker with gas strut assisted door | Design step-up ABS A-Frame fairing | Full height ABS rear panel with integral light cluster and integral grab handles | Twin section exterior door with moulded interior liner | Plastic wheel spats awning rail end caps | Seitz full width silver framed double glazed 'Panoramic' front window | Seitz silver framed double glazed windows throughout | Recessed awning light | Design graphics

ELECTRICAL SYSTEM

Mains electric with two 230v sockets | 12v internal lighting | RCD/MCB protection for mains electric system | 25 metre mains connecting lead

NEW

Switch mode battery charger with 20 amps output | Electrical consumer unit

HEATING & WATER SYSTEM

Truma 3002 3kw gas heater | Truma Ultrastore water heater (gas/electric operation) | Truma 30mbr gas regulator | Swivel unit Thetford cassette toilet with integrated header tank | Inboard pressurised hot and cold fresh water system with reinforced hosing | Large bore rigid waste plumbing routed to side of tourer | Shower unit with ceramic ball mixer tap | Washroom hand basin with ceramic ball mixer tap

NEW

Truma Crystal II water inlet and submersible pump

KITCHEN EQUIPMENT

Spinflo recessed 3-burner hob unit incorporating flush fitting glass hinged lid

NEW

Dometic 96 litre refrigerator with full width freezer compartment | Spinflo Duplex combined grill and domestic style glass fronted oven plus flame failure device | Spinflo recessed sink with clip on draining board and ceramic ball mixer tap | Kitchen worktop laminate and matching edging

FURNITURE & SOFT FURNISHINGS

Free standing table with dedicated storage | Side dinette occasional table (model specific) | Pull out roller slatted bed (model specific) | Hinged bed box slatted tops for easy access | Sculpted wooden bunk fall out rails | Domestic standard foam filled upholstery

NEW

Larger aircraft style overhead storage lockers with re-profiled locker doors and domestic style metal hinges | Aircraft style overhead storage locker across the caravan front | Domestic style washroom door and handle | Bailey 'Cherry' furniture veneer | Standard 'Galaxy' soft furnishings with co-ordinating curtains

GENERAL EQUIPMENT

Flyscreen and sunblind to kitchen window | Flyscreen and sunblind to saloon roof lights

NEW

Clear roof lights in centre of caravan (model specific)

SECURITY

Selectamark electronic tagging | Single key operation on all exterior doors | Vin no. etched to all exterior windows | Vin no. scribed in chassis member



Main image: Discovery Neptune. Inset: Spinflo Duplex oven & grill, Truma 3kw space heater, Dometic 96 litre refrigerator, Full height rear ABS panel.

Bed sizes

MERCURY

Rear Double 6'3" x 4'6"

NEPTUNE

Front Saloon 6'6" x 5'10"

Or 2 @ 5'10" x 2'3"

Rear Double 6'6" x 4'1"

& Rear O/Head 6'5" x 2'0"

MARS

Front Saloon 6'6" x 5'8"

Or 1 @ 6'1" x 2'3"

& 1 @ 5'8" x 2'3"

N/Side Single 5'7" x 2'2"

N/Side O/Head Single 5'5" x 2'0"

Rear Single 5'7" x 2'0"

& Rear O/Head 6'8" x 1'11"

Technical data



	Mercury	Neptune	Mars
Berths	2	5	6
Internal Length	4.631m 15'3"	5.059m 16'7"	5.408m 17'9"
Shipping Length	6.242m 20'6"	6.670m 21'11"	7.019m 23'0"
Overall Width	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"
Overall Height	2.53m 8'4"	2.53m 8'4"	2.53m 8'4"
Internal H'room	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"
Awning Size	911cm	954cm	989cm
Tyre Sizes	185/65 R14LI93N	185/65 R14LI93N	185/65 R14LI93N
MTPLM	1130kg 22.2cwt	1222kg 24.1cwt	1261kg 24.8cwt
MRO	910kg 17.9cwt	967kg 19.0cwt	993kg 19.5cwt
Payload Allownce for Essnt Habt'n Equipment	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt
Payload Allownce for Personal Effects	102kg 2.0cwt	137kg 2.7cwt	150kg 3.0cwt
Payload Allownce for Optional Equipment	50kg 1.0cwt	50kg 1.0cwt	50kg 1.0cwt
Total User Payload	220kg 4.3cwt	255kg 5.0cwt	268kg 5.3cwt

A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.



Discovery Mars

Discovery Series 5

www.bailey-caravans.co.uk

South Liberty Lane, Bristol BS3 2SS, England



80% Recycled paper



Forest Stewardship Council

This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.

Product photography in this brochure was shot on location at the following Caravan Club site: Hurn Lane Caravan Club Site (members only), Burnham-On-Sea, Somerset. Tel: 01278 751412






Ranger Series 5

the definitive value for money caravan





Ranger Series 5 The definitive value for money caravan

Ranger has re-written the phrase 'value for money' by delivering a range of well designed, well equipped yet affordable touring homes to a new generation of caravanners. The new Series 5 line-up features a wide choice of seven different models, including the new twin axle 620/6 family layout, with something to suit every requirement.

All models feature a state of the art exterior body shell that is supplied with a market leading six year integrity guarantee to provide long term peace of mind.

Interiors benefit from the installation of a full width 'Panoramic' front window and new Heki II tilting sunroof which enhance the feeling of light and space, whilst family friendly 'Pacific' soft furnishings and drop in carpets combine with new Cherry wood furniture to give Ranger a contemporary look.

Specifications remain exceptionally high for a tourer in this price bracket, with a new Thetford 96 litre refrigerator as standard, and models come supplied with some of the lightest unladen weights available. All this at an unbeatable recommended retail price, means Series 5 sets new standards for a value for money caravan by providing owners with more for less.



Ranger 620/6


Ranger Series 5

Specification includes:

- **NEW** Full height ABS front panel with high line profile and integral grab handles
- **NEW** Re-engineered gas bottle locker with gas strut assisted door
- **NEW** Full height ABS rear panel with integral light clusters and grab handles
- **NEW** Seitz silver framed double glazed windows throughout
- **NEW** Flush fit awning light
- **NEW** Truma Crystal II water inlet and submersible pump
- **NEW** Walk in plastic lined shower cubicle (model specific)
- **NEW** Thetford 96 litre refrigerator with electronic ignition and full width freezer compartment
- **NEW** Spinflo recessed sink with clip on draining board and ceramic ball mixer tap
- **NEW** Construction Aircraft style overhead storage lockers with re-profiled locker doors and domestic style metal hinges
- **NEW** Bailey 'Cherry' wood veneer
- **NEW** Standard 'Pacific' soft furnishings with co-ordinating lined curtains and scatter cushions
- **NEW** Heki II tilting sunroof with ceiling lighting surround
- **NEW** Clear roof lights in centre of caravan (model specific)




Ranger soft furnishings:



Standard Pacific upholstery


Ranger Series 5

Range layouts




460/2

2 Berth




460/4

4 Berth




470/4

4 Berth




500/5

5 Berth




510/4

4 Berth



550/6

6 Berth



620/6

6 Berth



Ranger Series 5

Product specification

EXTERIOR

Fully bonded exterior body shell with 6-Year Integrity Guarantee | Al-ko galvanised chassis with Euro-axle | Gas strut assisted handbrake | 14" wheels with low profile tyres | Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness: Sides 28mm, Ceiling 31mm & Floor 44mm) | Twin section exterior stable door | Status TV aerial and booster

NEW

Full height ABS front panel with high line profile and integral grab handles | Re-engineered gas bottle locker with gas strut assisted door | Design step-up ABS A-Frame fairing | Full height ABS rear panel with integral light cluster and integral grab handles | Plastic wheel spats awning rail end caps | Seitz full width silver framed double glazed 'Panoramic' front window | Seitz silver framed double glazed windows throughout | Recessed awning light | Design graphics

ELECTRICAL SYSTEM

Mains electric with two 230v sockets | 12v internal lighting | TV station with 230v/12v/aerial sockets | RCD/MCB protection for mains electric system | 25 metre mains connecting lead

NEW

Switch mode battery charger with 20 amps output | Electrical consumer unit

HEATING & WATER SYSTEM

Truma 3002 3kw gas heater & supplementary 230v Ultraheat system with silent running night setting | Truma Ultratherm and blown air distribution system | Truma Ultrastore water heater (gas/electric operation) | Truma 30 mbr gas regulator | Swivel unit Thetford cassette toilet with integrated header tank | Inboard pressurised hot and cold fresh water system with reinforced hosing | Large bore rigid waste plumbing routed to side of tourer | Shower unit with ceramic ball mixer tap | Washroom hand basin with ceramic ball washroom mixer tap | Fully fitted vanity unit, wall mirrors and integral storage

NEW

Truma Crystal II water inlet and submersible pump | Walk in plastic lined shower cubicle (model specific)

KITCHEN EQUIPMENT

Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid | Spinflo combined grill and domestic style glass fronted oven plus flame failure device

NEW

Thetford 96 litre refrigerator with full width freezer compartment | Spinflo recessed sink with clip on draining board and ceramic ball mixer tap | Kitchen worktop laminate and matching edging

FURNITURE & SOFT FURNISHINGS

Free standing table with dedicated storage | Side dinette occasional table (model specific) | Chest of drawers with fold over coffee table (model specific) | Pull out roller slatted bed | Hinged bed box slatted tops for easy access | Sculpted wooden bunk fall out rails | Fully sprung upholstery (except split cushions used in bunk make up) | Loose fit drop-in carpet

NEW

Larger aircraft style overhead storage lockers with re-profiled locker doors and domestic style metal hinges | Aircraft style overhead storage locker across the caravan front | Domestic style washroom door and handle | Bailey 'Cherry' furniture veneer | Standard 'Pacific' soft furnishings with co-ordinating lined curtains and scatter cushions

GENERAL EQUIPMENT

Remis flyscreen & sunblind to all principal windows | Fitted doorwell mat

NEW

Heki II tilting sun roof with ceiling lighting surround | Clear roof lights in centre of caravan (model specific)

SECURITY

Selectamark electronic tagging | Single key operation on all exterior doors | Vin no. etched to all exterior windows | Vin no. scribed in chassis member



Main image: Ranger 620/6, Inset: Thetford 96 litre refrigerator, Spinflo recessed 4-burner hob, Heki II tilting sunroof, Full height rear ABS panel.

Bed sizes

460/2

Front Saloon 6'6" x 4'6"
or 2 @ 6'1" x 2'3"

460/4

Front Saloon 6'6" x 4'2"
Rear Double 6'3" x 4'6"

470/4

Front Saloon 6'6" x 4'6"
Side Single 5'7" x 2'2"
O/Head Single 5'5" x 2'0"

500/5

Front Saloon 6'6" x 4'4"
or 2 @ 5'10" x 2'3"
Rear Double 6'8" x 4'1"
& Rear O/Head 6'5" x 2'0"

510/4

Front Saloon 6'6" x 4'4"
or 2 @ 5'11" x 2'3"
Side Single 5'11" x 2'2"
O/Head Single 5'10" x 2'0"

550/6

Front Saloon 6'6" x 4'1"
or 1 @ 6'1" x 2'3" &
1 @ 5'8" x 2'3"
N/Side Single 5'7" x 2'2"
N/S O/Head Single 5'5" x 2'0"
Rear Single 5'7" x 2'0"
Rear O/Head 6'8" x 1'11"

620/6

Front Saloon 6'6" x 4'7"
or 2 @ 6'2" x 2'3"
O/Side Single 5'7" x 2'2"
O/Side O/Head Single 5'5" x 2'0"
Rear Double 6'3" x 4'6"



Technical data

	460/2	460/4	470/4	500/5	510/4	550/6	620/6
Berths	2	4	4	5	4	6	6
Internal Length	4.447m 14'7"	4.631m 15'3"	4.631m 15'3"	5.059m 16'7"	5.059m 16'7"	5.408m 17'9"	6.286m 20'7"
Shipping Length	6.058m 19'11"	6.242m 20'6"	6.242m 20'6"	6.670m 21'11"	6.670m 21'11"	7.019m 23'0"	7.890m 25'11"
Overall Width	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"
Overall Height	2.71m 8'10"	2.71m 8'10"	2.71m 8'10"	2.71m 8'10"	2.71m 8'10"	2.71m 8'10"	2.71m 8'10"
Internal H'room	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"
Awning Size	892cm	911cm	911cm	954cm	954cm	989cm	1088cm
Tyre Sizes	185/65 R14 LI93N	185/65 R14 LI93N	185/65 R14 LI93N	185/65 R14 LI93N	185/65 R14 LI93N	185/65 R14 LI93N	185/65 R14 LI93N
MTPLM	1131kg 22.3cwt	1184kg 22.3cwt	1179kg 23.2cwt	1271kg 25.0cwt	1240kg 24.4cwt	1298kg 26.6cwt	1540kg 30.3cwt
MRO	941kg 18.5cwt	972kg 19.1cwt	967kg 19.0cwt	1044kg 20.6cwt	1023kg 20.1cwt	1058kg 20.8cwt	1281kg 25.2cwt
Payload Allowance for Essnt Hab'n Equipment	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt
Payload Allowance for Personal Effects	100kg 2.0cwt	122kg 2.4cwt	122kg 2.4cwt	137kg 2.7cwt	127kg 2.5cwt	150kg 3.0cwt	159kg 3.1cwt
Payload Allowance for Optional Equipment	22kg 0.4cwt	22kg 0.4cwt	22kg 0.4cwt	22kg 0.4cwt	22kg 0.4cwt	22kg 0.4cwt	22kg 0.4cwt
Total User Payload	190kg 4.2cwt	212kg 4.2cwt	212kg 4.2cwt	227kg 4.5cwt	217kg 4.3cwt	240kg 4.7cwt	249kg 4.9cwt

A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.



Ranger 460/2

Award winning Ranger Series 5



www.bailey-caravans.co.uk

South Liberty Lane, Bristol BS3 2SS, England



80% Recycled paper



Forest Stewardship Council

This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.

Product photography in this brochure was shot on location at the following Caravan Club site: Hurn Lane Caravan Club Site (members only), Burnham-On-Sea, Somerset. Tel: 01278 751412





Pageant Series 6

all the comforts of home at a price you can afford





Pageant Series 6 All the comforts of home at a price you can afford

Pageant has delivered over twenty years of award winning performance, which has seen it grow to become the first choice of the discerning caravan owner.

Outside Series 6 features the classic exterior looks that have won Pageant admiration on site and on the road, including new full height front and rear ABS panels, the latest twin section exterior door and 14" alloy wheels with low profile tyres. Equipment levels are also boosted with the fitting of a Status 530 directional television aerial and an exterior 230v socket, while for added piece of mind the caravan axle has been prepared to accept an optional Al-ko Secure portable wheel lock.

Inside state of the art furniture construction, featuring large capacity full height overhead storage lockers and a domestic style washroom door, combines with a choice of two luxurious soft furnishing options and co-ordinated fixtures and fittings in satin silver, to give interiors the ultimate blend of style and practicality.

Packed with features, including a class leading new 117 litre Dometic refrigerator, a microwave oven and a stereo Radio/CD/MP3 player as standard, Pageant Series 6 continues to provide owners with all the comforts of home and retail price they can afford.



Pageant Champagne

Pageant Series 6

Specification includes:

- **NEW** Body shell profile
- **NEW** 14" alloy wheels with low profile tyres
- Al-ko chassis mounted spare wheel carrier and spare wheel (steel spare wheel)
- **NEW** Al-ko Secure prepared Euro-axle featuring lock receiver plate (Optional Al-ko Secure portable wheel lock)
- **NEW** Full height ABS front and rear panels
- **NEW** Twin section Hartel exterior door with moulded interior liner and integral waste bin
- **NEW** Exterior 230v socket
- **NEW** Status 530 telescopic directional television aerial
- **NEW** Whale Aqua smart II on-board water pump
- **NEW** Dometic 117 litre refrigerator with full width freezer compartment
- **NEW** Spinflo recessed sink with clip on draining board and ceramic ball mixer tap
- **NEW** Microwave oven
- **NEW** Standard 'Epsom' soft furnishings with co-ordinating lined curtains, bolster and scatter cushions
- **NEW** Optional 'Chepstow' soft furnishings with co-ordinating lined curtains, bolster and scatter cushions
- Omnivent dual action roof light mounted extractor fan
- **NEW** Radio/CD/MP3 player



Pageant soft furnishings:




Standard Epsom upholstery



Optional Chepstow upholstery


Pageant Series 6

Range layouts




Monarch

2 Berth



Bordeaux

4 Berth




Champagne


4 Berth




Pageant Burgundy




Burgundy



Provence



Bretagne



Vendee



Pageant Series 6

Product specification

EXTERIOR

Fully bonded exterior body shell with 6-Year integrity guarantee | Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness : Sides 28mm, Ceiling 31mm & Floor 44mm) | Al-ko galvanised steel chassis | Al-ko AKS 3004 Stabiliser | Gas strut assisted handbrake | Al-ko chassis mounted spare wheel carrier and spare wheel (steel spare wheel) | ABS 'Step-Up' A-frame fairing

NEW

Body shell profile | Impact resistant 5000 Series aluminium skin | Al-ko Secure prepared Euro-axle featuring lock receiver plate (Optional Al-ko Secure portable wheel lock) | 14" Alloy wheels with low profile tyres | Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin | Polyplastics silver framed double glazed windows throughout | Full height ABS front panel with high line profile and integral grab handles | Re-engineered gas bottle locker with improved access and storage | Gas locker tray which accommodates all bottle types | Full height ABS rear panel with integral roof spoiler and twin high level brake lights and integral rear light cluster | Recessed awning light | Exterior 230v socket | Status 530 telescopic directional television aerial | Design graphics

ELECTRICAL SYSTEM

Mains electric with three 230v sockets | 12v internal lighting | TV station with 230v/12v aerial sockets | Switch mode battery charger with 20 amps output | RCD/MCB protection for mains electric system | 25 metre mains connecting lead

NEW

Electrical consumer unit

HEATING & WATER SYSTEM

Truma 3002 3kw gas heater and supplementary 230v Ultraheat system with automatic ignition and silent running night setting | Truma Ultratherm and blown air distribution system | Truma Ultrastore water heater (gas/electric operation) | Truma 30 mbr gas regulator | Swivel Thetford cassette toilet with integrated header tank | Inboard pressurised hot and cold fresh water system with reinforced hoses | Large bore rigid waste plumbing routed to side of tourer | Shower unit with ceramic ball mixer tap | Walk in domestic size plastic shower cubicle (model specific) | Non-slip shower mat | Fully fitted vanity unit, wall mirrors and integral storage

NEW

Whale Aqua smart II on-board water pump

KITCHEN EQUIPMENT

Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid | Spinflo combined grill and domestic style glass fronted oven with electronic ignition and flame failure device

NEW

Dometic 117 litre refrigerator with electronic ignition and full width freezer compartment | Spinflo recessed sink with clip on draining board and ceramic ball mixer tap | Microwave oven | Nylon food grade chopping board | Washing up bowl

FURNITURE & SOFT FURNISHINGS

Free standing table with dedicated storage | Side dinette occasional table (model specific) | Chest of drawers with fold over coffee table (model specific) | Pull out roller slatted bed | Hinge sprung slatted bed box tops for easy access | Drop down flaps on large bed box fronts | Sculpted wooden bunk fall out rails | Fully sprung upholstery (except split cushions used in bunk make up) | Loose fit drop in carpets

NEW

Full height aircraft style overhead storage lockers with curved locker doors and domestic style metal hinges | Seat and backrest ventilation boards | Re-engineered drawer units | Domestic style washroom door and handle | Worktop laminate with real wood edging | Co-ordinated fixtures and fittings in satin silver | Standard 'Epsom' soft furnishings with co-ordinating lined curtains, bolster and scatter cushions | Optional 'Chepstow' soft furnishings with co-ordinating lined curtains, bolster and scatter cushions

GENERAL EQUIPMENT

Omnivent dual action rooflight mounted extractor fan | Remis flyscreen and sunblinds to principal windows | Remis flyscreen and sunblind to 4 way rooflight in saloon | Remis full length flyscreen to exterior door | Fitted doorwell mat | Analogue clock

NEW

Heki II tilting sunroof with ceiling lighting surround | Mini-Heki sunroof located over front bedroom | Radio/CD/MP3 player

SECURITY

Selectamark electronic tagging | Single key operation on all exterior doors | Vin no. etched to all exterior windows | Vin no. scribed in chassis member



Main image: Pageant Champagne, Inset: Dometic 117 litre refrigerator, Status 530 telescopic directional television aerial, Microwave oven, Radio/CD/MP3 player.

Bed sizes

Monarch

Front Double 6'6" x 4'7"
Or 2 Singles @ 6'2" x 2'3"

Bordeaux

Front Double 6'6" x 4'7"
Rear Double 6'4" x 4'6"

Champagne

Front Saloon 6'6" x 4'5"
Or 1 Single @ 6'2" x 2'3"
& 1 Single @ 5'11" x 2'3"
O/Side Single 5'11" x 2'2"
& O/Side O/Head Single 5'9" x 2'0"

Burgundy

Front Double 6'6" x 5'3"
Rear Double @ 6'4" x 4'6"

Provence

Front Double 6'6" x 4'3"
Rear Double 6'6" x 4'6"
Rear O/Head Single 6'5" x 2'0"

Bretagne

Front Double 6'6" x 4'5"
Or 2 Singles @ 6'1" x 2'3"
N/Side Single 5'11" x 2'2"
N/Side O/head Single 5'10" x 2'0"
Rear Single 5'4" x 1'10"
Rear O/Head Single 6'8" x 1'10"

Vendee

Front Double 6'3" x 4'6"
Rear Saloon Double 6'6" x 5'7"
Or N/S Rear Single 5'7" x 2'3"
O/S Rear Single 5'10" x 2'3"



Technical data

	Monarch	Bordeaux	Champagne	Burgundy	Provence	Bretagne	Vendee
Berths	2	4	4	4	5	5	4
Internal Length	4.831m 15'10"	4.831m 15'10"	5.358m 17'7"	5.608m 18'5"	5.608m 18'5"	5.608m 18'5"	5.608m 18'5"
Shipping Length	6.560m 21'6"	6.560m 21'6"	7.130m 23'4"	7.340m 24'1"	7.340m 24'1"	7.340m 24'1"	7.340m 24'1"
Overall Width	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"	2.19m 7'2"
Overall Height	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"
Internal H'room	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"
Awning Size	930cm	930cm	988cm	1008cm	1008cm	1008cm	1008cm
Tyre Sizes	195/70 R14 LI96	195/70 R14 LI96	195/70 R14 LI96	195/70 R14 LI96	195/70 R14 LI96	195/70 R14 LI96	195/70 R14 LI96
MTPLM	1239kg 24.4cwt	1300kg 25.6cwt	1365kg 26.9cwt	1400kg 27.6cwt	1420kg 28.0cwt	1420kg 28.0cwt	1420kg 28.0cwt
MRO	1062kg 20.9cwt	1103kg 21.7cwt	1163kg 22.9cwt	1180kg 23.2cwt	1205kg 23.7cwt	1195kg 23.5cwt	1215kg 23.9cwt
Payload Allowance for Essnt Hab'tn Equipment	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt	68kg 1.3cwt
Payload Allowance for Personal Effects	106kg 2.1cwt	126kg 2.5cwt	132kg 2.6cwt	134kg 2.6cwt	144kg 2.8cwt	154kg 3.0cwt	134kg 2.6cwt
Payload Allowance for Optional Equipment	3kg 0.1cwt	3kg 0.1cwt	3kg 0.1cwt	18kg 0.4cwt	3kg 0.1cwt	3kg 0.1cwt	3kg 0.1cwt
Total User Payload	177kg 3.5cwt	197kg 3.9cwt	203kg 4.0cwt	220kg 4.3cwt	215kg 4.2cwt	225kg 4.4cwt	205kg 4.0cwt

A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.



Pageant Bordeaux

Pageant Series 6

www.bailey-caravans.co.uk

South Liberty Lane, Bristol BS3 2SS, England



80% Recycled paper



Forest Stewardship Council

This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.

Product photography in this brochure was shot on location at the following Caravan Club site: Hurn Lane Caravan Club Site (members only), Burnham-On-Sea, Somerset. Tel: 01278 751412





Senator Series 6

A new dimension in comfort and practicality





Senator Series 6 A new dimension in comfort and practicality

Incorporating the design expertise that has won numerous product awards in recent years, Senator is now firmly established as one of the most well-made and well-equipped touring homes available today.

The new Series 6 line up features seven established layouts all of which are built in a 7'6" wide fully bonded body shell, supplied with a six year integrity guarantee, to provide an extra dimension in comfort and practicality.

Outside models now feature the latest AL-KO ATC Trailer Control system and a TRACKER Monitor Stolen Vehicle Recovery system which, combined with the AL-KO AKS 3004 stabiliser and the AL-KO Secure portable wheel lock, will ensure that your new investment remains both safe on the road and secure on site.

Inside the interior décor featuring a choice of three contrasting soft furnishing options and premium quality fixtures and fittings in matt nickel, has been expertly refined to give Senator that unmistakable touch of class. Whilst a five star equipment manifesto is further enhanced with the introduction of the latest Dometic 115 litre refrigerator with a removable freezer compartment and a state of the art home entertainment system featuring a Radio/CD/MP3/DVD player and a remote control 17" flat screen digital television.

So if you require the very best in touring home design, supplied at a competitive retail price, then there is simply no better choice than Senator.



Senator Wyoming

Senator Series 6

Specification includes:

- NEW AL-KO ATC trailer control system
- NEW Style 14" alloy wheels with low profile tyres
- AL-KO AKS 3004 stabiliser
- NEW Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin
- NEW Full height Hartel pleated door blind
- NEW Energy saving 12v LED pelmet strip lighting
- NEW Swivel electric flush Thetford C-250 cassette toilet with integrated header tank
- NEW Dometic 115 litre refrigerator with electronic ignition and detachable full width freezer compartment (fridge capacity increases to 122 litres when freezer compartment is removed)
- NEW Folding leaf free standing table with dedicated storage
- NEW Premium quality co-ordinated fixtures and fittings in matt nickel
- NEW Standard 'Blenhiem' soft furnishings with co-ordinating lined curtains and shaped arm rests
- NEW Optional 'Chatsworth' soft furnishings with co-ordinating lined curtains and shaped arm rests
- NEW Optional 'Sandringham' soft furnishings with co-ordinating lined curtains and shaped arm rests
- NEW Radio/CD/MP3/DVD player
- NEW Remote control 17" flat screen digital television
- NEW TRACKER Monitor Stolen Vehicle Recovery system (including first 12 months subscription fee)
- TRACKER alarm
- AL-KO Secure portable wheel lock



Senator soft furnishings:



Standard
Blenhiem
upholstery




Optional
Chatsworth
upholstery



Optional
Sandringham
upholstery


Senator Series 6

Range layouts



Vermont

2 Berth



Arizona

4 Berth




Indiana

4 Berth




Senator Arizona




4 Berth

Virginia




4 Berth

Wyoming



4 Berth

Louisiana



6 Berth

Carolina



Senator Series 6 Product specification

EXTERIOR

Fully bonded exterior body shell with 6-Year integrity guarantee | AL-KO galvanised chassis with Euro-axle | AL-KO AKS 3004 Stabiliser | Gas strut assisted handbrake | AL-KO chassis mounted spare wheel carrier and spare wheel (steel spare wheel) | AL-KO caravan jack | Fully insulated walls, floor and roof to grade II classification of EN1645-1 (Panel thickness : Sides 28mm, Ceiling 31mm & Floor 44mm) | Full height ABS front panel with high line profile and integral grab handles | Gas bottle locker with gas strut assisted door | Gas locker courtesy light | Truma 30mbr gas regulator | Full height ABS rear panel with integral light cluster and integral grab handles | Individual rear light units | External gas barbeque point | Exterior 230v mains socket | Flush fit awning light | Status telescopic directional television aerial

NEW Impact resistant 5000 Series smooth finish aluminum skin | AL-KO ATC trailer control system | Style 14" alloy wheels with low profile tyres | Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin | Polyplastic silver framed double glazed windows throughout | Design ABS step up A-frame fairing | Re-engineered gas bottle locker tray which accommodates all bottle types | Design graphics scheme

ELECTRICAL SYSTEM

Mains electric with three 230v sockets | TV station with 230v/12v/aerial sockets | Switch mode battery charger with 20 amps output | RCD/MCB protection for mains electric system | 25 metre mains connecting lead

NEW 12v bespoke internal light fittings | Energy saving 12v LED pelmet strip lighting

HEATING & WATER SYSTEM

Truma 3002 3kw gas heater and supplementary 230v Ultraheat system with automatic ignition and silent running night setting | Truma Ultratherm and blown air distribution system | Truma Ultrastore water heater (gas/electric operation) | Onboard water tank (Capacity 30 litres) | Inboard pressurised hot and cold fresh water system with reinforced hosing | Large bore rigid waste plumbing routed to side of tourer | Shower unit with ceramic ball mixer tap | Walk in domestic style plastic shower cubicle (model specific) | Bi-fold partition shower door in combination washrooms (model specific) | Non-slip shower mat | Fully fitted vanity unit, wall mirrors and integral storage

NEW Re-located Whale Aqua smart II on-board water pump with easy control access | Swivel electric flush Thelford C-250 cassette toilet with integrated header tank | Additional washroom storage furniture | Heated towel rail

KITCHEN EQUIPMENT

Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid | Spinflo combined grill and domestic style glass fronted oven with electronic ignition and flame failure device | Spinflo recessed sink with clip on draining board and ceramic ball mixer tap | Microwave oven | Washing up bowl

NEW Dometic 115 litre refrigerator with electronic ignition and detachable full width freezer compartment (fridge capacity increases to 122 litres when freezer compartment is removed) | Nylon food grade chopping board

FURNITURE & SOFT FURNISHINGS

Side dinette occasional table (model specific) | Chest of drawers with fold over coffee table (model specific) | Aircraft Style overhead storage lockers with full size curved locker doors and domestic style metal hinges | Domestic style washroom door and handle (model specific) | Pull out roller slatted bed | Sculpted wooden bunk fall out rails | Fully sprung upholstery (except split cushions used in bunk make up) | Loose fit drop in carpets

NEW Folding leaf free standing table with dedicated storage | Seat and backrest ventilation boards | Self supporting hinge sprung slatted bed box tops for easy access | Sprung bed box slats for extra comfort | Pull out drawer unit under front nearside bed box (model specific) | Re-engineered soft shut drawers units | 'Graphite' kitchen work top laminate | Pull out kitchen basket unit | Premium quality co-ordinated fixtures and fittings in matt nickel | Twin curtain track for improved hanging and ease of use | Superior quality upholstery fabrics and cushion construction | Standard 'Blenheim' soft furnishings with co-ordinating lined curtains and shaped arm rests | Optional 'Chatsworth' soft furnishings with co-ordinating lined curtains and shaped arm rests | Optional 'Sandringham' soft furnishings with co-ordinating lined curtains and shaped arm rests

GENERAL EQUIPMENT

Mini-Heki sun roof located over rear bedroom (model specific) | Omnivent dual action rooflight mounted extractor fan | Remis flyscreen and sunblinds to front windows | Fitted doorwell mat | Analogue clock

NEW Heki II tilting sunroof with ceiling lighting surround | Remis flyscreen and pleated sunblind to all side and rear windows | Full height Hartel pleated door blind | Radio/CD/MP3/DVD player | Remote control 17" flat screen digital television | Rotating flat screen television display stand (model specific)

SECURITY

AL-KO Secure portable wheel lock | Selectamark electronic tagging (2 tags) | Vin no. etched to all exterior windows | Vin no. scribed in chassis member

NEW TRACKER Monitor Stolen Vehicle Recovery system (including first 12 months subscription fee) | TRACKER alarm | High security exterior door lock (single key operation on all other doors)



Main image: Senator Arizona. Inset: Remote control 17" flat screen television, Radio/CD/MP3/DVD player, Dometic 115 litre refrigerator, Full height Hartel pleated door blind.

Bed sizes

Vermont

Front Saloon 6'10" x 4'7"
Or 2 @ 6'2" x 2'3"

Arizona

Front Saloon 6'10" x 4'8"
Or 2 @ 6'3" x 2'3"
O/Side Single 5'11" x 2'2"
& O/Side O/Head Single 5'9" x 2'0"

Indiana

Front Saloon 6'10" x 4'0"
Or 1 N/S Single @ 5'7" x 2'3"
& 1 O/S Single @ 5'9" x 2'3"
Rear Double 6'4" x 4'6"

Virginia

Front Saloon 6'10" x 4'5"
Rear Double 6'4" x 4'6"

Wyoming

Front Saloon 6'10" x 4'2"
Or 1 N/S Single @ 5'9" x 2'3"
& 1 O/S Single @ 6'1" x 2'3"
Rear Double 6'4" x 4'6"

Louisiana

Front Saloon 6'10" x 4'5"
Or 1 N/S Single @ 6'0" x 2'3"
& 1 O/S Single @ 6'1" x 2'3"
Rear Double 6'4" x 4'6"

Carolina

Front double 6'10" x 4'7"
or 2 Singles @ 6'2" x 2'3"
3 O/S Singles @ 6'1" x 1'10"
& 1 N/S Single @ 5'11" x 2'7"



Technical data

	Vermont	Arizona	Indiana	Virginia	Wyoming	Louisiana	Carolina
Berths	2	4	4	4	4	4	6
Internal Length	4.992m 16'3"	5.608m 18'5"	5.608m 18'5"	5.608m 18'5"	6.400m 21'1"	6.400m 21'1"	6.400m 20'9"
Shipping Length	6.508m 21'5"	7.194m 23'7"	7.194m 23'7"	7.194m 23'7"	7.890m 25'11"	7.890m 25'11"	7.890m 26'5"
Overall Width	2.28m 7'6"	2.28m 7'6"	2.28m 7'6"	2.28m 7'6"	2.28m 7'6"	2.28m 7'6"	2.28m 7'6"
Overall Height	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"	2.58m 8'6"
Internal H'room	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"	1.90m 6'3"
Awning Size	940cm	1009cm	1009cm	1009cm	1088cm	1088cm	1088cm
Tyre Sizes	195/70 R14LI96	185 R14LI104	185 R14LI104	185 R14LI104	185/65 R14LI90	185/65 R14LI90	185/65 R14LI93N
MTPLM	1392kg 27.4cwt	1500kg 29.5cwt	1500kg 29.5cwt	1495kg 29.4cwt	1678kg 33.0cwt	1686kg 33.2cwt	1759kg 34.6cwt
MRO	1183kg 23.3cwt	1264kg 24.9cwt	1264kg 24.9cwt	1259kg 24.8cwt	1435kg 28.2cwt	1443kg 28.4cwt	1496kg 29.4cwt
Payload Allowance for Essnt Hab'tn Equipment	88kg 1.7cwt	88kg 1.7cwt	88kg 1.7cwt	88kg 1.7cwt	88kg 1.7cwt	88kg 1.7cwt	88kg 1.3cwt
Payload Allowance for Personal Effects	106kg 2.1cwt	133kg 2.6cwt	133kg 2.6cwt	133kg 2.6cwt	140kg 2.8cwt	140kg 2.8cwt	160kg 3.1cwt
Payload Allowance for Optional Equipment	15kg 0.3cwt	15kg 0.3cwt	15kg 0.3cwt	15kg 0.3cwt	15kg 0.3cwt	15kg 0.3cwt	15kg 0.3cwt
Total User Payload	209kg 4.1cwt	236kg 4.6cwt	236kg 4.6cwt	236kg 4.6cwt	243kg 4.8cwt	243kg 4.8cwt	263kg 5.2cwt

A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.



Senator Virginia

Award winning Senator Series 6



www.bailey-caravans.co.uk

South Liberty Lane, Bristol BS3 2SS, England



80% Recycled paper



Mixed Sources
Product group from well-managed forests, controlled sources and recycled wood or fiber
www.fsc.org Cert no. SCS-COC-3003
© 1996 Forest Stewardship Council

This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.

Product photography in this brochure was shot on location at the following Caravan Club site: Hurn Lane Caravan Club Site (members only), Burnham-On-Sea, Somerset. Tel: 01278 751412

