

YOU WILL NOT BUY BETTER FOR LESS.

INNOVATION AND DESIGN

Our continuous desire to achieve new and wonderful products starts here in the UK. We listen to you the consumer and with our highly skilled team in our own factory we are able to develop the products that you are looking for. Our policy is based on real quality at very competitive and genuine prices.

TRADITIONAL AND AIR AWNINGS

Camptech Products Limited is a leading brand that produces quality products at incredible prices. We are the very first British / European company to form a joint venture with one of the largest manufacturers of caravan / motorhome / campervan awnings.

Together with our vast expertise and years of experience, we have developed quality products at prices that no other brand can offer.

Some of the quality specifications included with your Camptech awning.

Griplock Clamps



YKK Zips / Techline Zips



Unilok Pads



...and much more.









Contents

KENSINGTON	04-05
BUCKINGHAM	06-07
ATLANTIS	
SAVANNA	10-11
CAYMAN/FRAMES	12-13
DUKE/DUCHESS	14-15
STARLINE/STARLINE MH	16-17
VISCOUNT	
MOTO CROWN /MOTO MONARCH	20-21
MOTO KINGSTON	22
SUSSEX SUNSHADE/HASTING SUNSHADE	
ANNEXE & INNER TENT	24-25
WINDBREAK	26-27
SPECIFICATION SHEET AND OPTIONAL EXTRAS	28-29
ACCESSORIES	30-33
SUNTREK - MERCURY	34
SUNTREK - SATURN	35



*ANNEX OPTIONAL EXTRA



Omnibrite Lights Packing Pads Techline Secure Straps Air Pump Battery Pack Vertical Support Poles

KENSINGTON

TRADITIONAL INFLATABLE FULL AWNING

The Kensington touring air awning is made from quality SR17 climatech material and has the design and space of a traditional awning yet the convenience and speed of an air awning. The panoramic windows at the front can be rolled back as extra wide doors or used veranda style. The single inflation point makes assembly quick and easy so you can spend more time enjoying your holiday.

SPECIFICATIONS

Size : Available in sizes 6-21

240cm · Depth:

· Colour: Dark grey / Light Grey

. Roof Material: Climatech SR18 all season coated polyester

· Wall Material: Climatech SR17 coated polyester . Front Layout: Sizes 6-14 have four front windows

Sizes 15-21 have six front windows

· Front panels: All panels can be rolled down or zipped out Side panels : Both panels can be rolled down or zipped out

· Curtain: Fitted all front & side windows

FRAME

- . Easy Air Frame Tubes
- · Single inflation point
- 2 x Alloy Canopy poles
- · Multiple deflation points
- Size 10-14: 2 Extra inflatable roof support beams and 2 extra Techline vertical support poles
- Size 15-21: 4 Extra inflatable roof support beams and 4 extra Techline vertical support poles

FEATURES

- Single Inflation Point and 3 Deflation Points
- The Awning can be inflated and deflated in minutes
- Techline Secure buckles
- A half mesh window on one side for extra ventilation.
- Techline Zips
- Draft Skirt
- Wheel Arch Cover
- Curtains
- Heavy Duty Nylon Pegs
- Ladder Bands
- Peg Bag / Canopy Poles



- Techline Secure Straps (SL500)
- Inflatable DL Tall Annex(SL915II)
- Awning Inner Tent (2 berth, IT018)
- Annexe Inner Tent (IT091)
- Roof Liner (see page 29)
- Omnibrite Lighting System (SL5010)
- Ominbrite Lighting System Top Up (SL5011)

- Camptech Portable Power for Omnibrite Light System Mobile Devices (SL5012-10K)
- Electric Air Pump (1055)
- Techline Vertical Support Poles (SL5022/SL570-C)
- Wheeled Bag (1052)
- Alloy Veranda Bar (see page 29)

Size											16					
A Meacurement	775-	800-	825-	850-	875-	900-	925-	950-	975-	1000-	1025-	1050-	1075-	1100-	1125-	1150-
A-Measurement	800	825	850	875	900	925	950	975	1000	1025	1050	1075	1100	1125	1150	1175



*ANNEX OPTIONAL EXTRA SIZES 12 TO 19- FOUR FRONT WINDOWS / FOUR SIDE WINDOWS











Griplock Clamps

Unilok Pads YKK Zips / Techline Zips

Ladders & Tension Pegs

Tall Annex

Vent

BUCKINGHAM DL 3MT

NEW FOR 2022 SEASON

The Buckingham is our flagship all season awning, made from high quality SR21 climatech seasonal material, the panoramic windows and 3metre depth gives the awning a spacious feel and maximum living area. The front windows have privacy blinds and can also be rolled back to make extra wide door ways and all front and side panels can be removed for easier erection ideal for all your caravanning needs.

SPECIFICATIONS

Available in sizes 12 to 19 Size: All sizes have a four windows · Front Layout :

· Depth: 300cm

· Colour : Anthracite/Light Grey

55.45 kg approx. (size 14 canvas & frame combined) · Weight:

· Roof Material: Climatech SR21 all season coated polyester Climatech SR21 all season coated polyester Wall Material:

FRAME

22mm/25mm Steel Frame With Griplock Clamps

Sizes 12-19 5 Roof Poles

Sizes 12-13 3 Front Legs

Sizes 14-19 5 Front Legs

Sizes 12-19 2 Roof Raiser Poles

FEATURES

- Privacy Blinds
- · Flyscreen Ventilation On Both Sides
- 4 Front Windows/4 Side Windows
- 6 Wide Doors
- Techline Centre Secure Bracket
- Unilok Pads
- Techline Zips
- · Draft Skirt
- · Wheel Arch Cover
- Curtains
- Heavy Duty Nylon Pegs
- Ladder Bands
- · Peg Bag
- . Figure of 8
- Canvas Holdall Bag



- Techline Secure Straps (SL500)
- Techline Secure Plus Strap (SL580)
- Protech Roof Raiser Poles (See Page 29)
- Veranda Poles (See Page 29)
- Standard Annexe (SL945-K)
- Tall Annexe With Blinds (SL944-KB)
- Tall Annexe Inner Tent (IT091)
- Standard Annexe Inner Tent (IT015)
- Titan (SL5058)

- Storm Legs (SL530)
- Roof Rafter Poles (SL529-C)
- Omnibrite Lighting System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Roof Liner (See Page 29)
- Wheeled bag (1052)
- Regal Carpet (See Page 29)

Size	12	13	14	15	16	17	18	19
A-Measurement	925-	950-	975-	1000-	1025-	1050-	1075-	1100-
A-wedsurernern	950	975	1000	1025	1050	1075	1100	1125



*ANNEX OPTIONAL EXTRA SIZES 8 TO 22 - FOUR FRONT WINDOWS













Griplock Clamps

Unilok Pads

YKK Zips / Techline Zips

Ladders & Tension Pegs

Techline Secure Straps

Vent

ATLANTIS DL

SEASONAL AWNING

The Atlantis DL is made from our highest quality SR21 climatech seasonal material, the panoramic windows all have privacy blinds and the front windows can also be used as extra wide doors or veranda style. All the panels can be removed for easy assembly. The high specifications throughout make the Atlantis DL our premium seasonal awning.

SPECIFICATIONS

· Size: Available in sizes 9 to 22 All sizes have a four windows · Front Layout :

· Depth: 240cm

· Colour : Anthracite/Light Grey

41kg approx. (size 10 canvas & frame combined) · Weight: Climatech SR21 all season coated polyester Roof Material: Climatech SR21 all season coated polyester Wall Material:

FRAME

22mm/25mm Steel Frame With Griplock Clamps

• Sizes 11-22 5 Roof Poles

Sizes 14-22 5 Front Legs

Sizes 20-22 2 Roof Raiser Poles

FEATURES

- Privacy Blinds
- Flyscreen Ventilation On Both Sides
- 6 Front Windows
- 4 Wide Doors
- Techline Centre Secure Bracket
- Unilok Pads
- Techline Zips
- · Draft Skirt
- · Wheel Arch Cover
- Curtains
- · Heavy Duty Nylon Pegs
- Ladder Bands
- Peg Bag
- . Figure of 8
- Canvas Holdall Bag



- Techline Secure Straps (SL500)
- Techline Secure Plus Strap (SL580)
- Protech Roof Raiser Poles (See Page 29)
- Veranda Poles (See Page 29)
- Standard Annexe (SL945-K)
- Tall Annexe With Blinds (SL944-KB)
- Tall Annexe Inner Tent (IT091)
- Standard Annexe Inner Tent (IT015)
- Titan (SL5058)

- Regal Carpet (See Page 29)
- Storm Legs (SL530)
- Roof Rafter Poles (SL529/SL529-C)
- Omnibrite Lighting System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Roof Liner (See Page 29)
- Wheeled bag (1052)
- Fibre Frames (see page 28)

Size							15							
A-Measurement	850-	875-	900-	925-	950-	975-	1000-	1025-	1050-	1075-	1100-	1125-	1150-	1175-
A-Medsulement	875	900	925	950	975	1000	1025	1050	1075	1100	1125	1150	1175	1200



*ANNEX OPTIONAL EXTRA / SIZES 8 TO 11 - TWO FRONT WINDOWS SIZES 12 TO 22 - FOUR FRONT WINDOWS













Griplock Clamps

Unilok Pads

YKK Zips / Techline Zips

Techline Secure Straps

Privacy Blind

Ladders & Tension Pegs

Savanna DL

SEASONAL AWNING

The Savanna DL is made from quality SR18 climatech seasonal material and is exceptionally well priced with all the features needed for seasonal pitching, all windows have privacy blinds and the panels can be used veranda style or removed for easy assembly.

STANDARD SPECIFICATIONS

· Size : Available in sizes 8 to 22

Sizes 8 to 11 have two front windows Front Layout :

Sizes 12 to 22 have four front windows

Depth: 240cm

· Colour: Anthracite/Light Grey

· Weight: 39kg approx. (size 10 canvas & frame combined)

Climatech SR18 all season coated polyester Roof Material: Wall Material: Climatech SR18 all season coated polyester

FRAME

22mm/25mm Steel Frame With Griplock Clamps

Sizes 11-22 5 Roof Poles

Sizes 14-22 5 Front Legs

Sizes 20-22 2 Roof Raiser Poles

FEATURES

- · Privacy Blinds
- · Half screen ventilation on one side
- Techline Centre Secure Bracket
- Unilok Pads
- Techline Zips
- Draft Skirt
- Wheel Arch Cover
- Curtains
- Heavy Duty Nylon Pegs
- Ladder Bands
- Peg Bag
- Figure of 8
- Canvas holdall
- Pole Bag



- Techline Secure Straps (SL500)
- Techline Secure Plus Strap (SL580)
- Protech Roof Raiser Poles (See Page 29)
- Veranda Poles (See Page 29)
- Standard Annexe (SL945-K)
- Tall Annexe with Blinds (SL944-KB)
- Standard Inner Tent (IT015)
- Tall Annexe Inner Tent (IT091)
- Titan (SL5058)
- Regal Carpet (See Page 29)

- Storm Legs (SL530)
- Roof Rafter Poles (SL529/SL529-C)
- Omnibrite Lighting System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Roof Liner (See Page 29)
- Wheeled bag (1052)
- Fibre Frames (see page 28)

Size	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
A-Measurement	825-	850-	875-	900-	925-	950-	975-	1000-	1025-	1050-	1075-	1100-	1125-	1150-	1175-
	850	875	900	925	950	975	1000	1025	1050	1075	1100	1125	1150	1175	1200

CAYMAN

RE-DESIGNED FOR 2022

The Cayman is made from SR17 climatech material suitable for touring use and is in a class of its own for quality and features giving you maximum space and value for money on your touring holiday. All panels can be removed for easier assembly and the front panels can also be used veranda style.

SPECIFICATIONS

Sizes: Available in sizes 4-19

Depth: 240cm

• Colour : Anthracite/Light Grey

Weight: 23.5kg approx. (for a size 8)

Roof Material: Climatech SR18 all season coated polyester

Wall Material: Climatech SR17 coated polyester

FRAME

22mm/25mm Steel Frame With Griplock Clamps

Sizes 4-10 3 Roof Poles

Sizes 4-13 3 Leg Poles

Sizes 11-19 5 Roof Poles

Sizes 14- 19 5 Front Legs

FEATURES

- Unilok Pads
- · Techline Zips
- · Draft Skirt
- Wheel Arch Cover
- Curtains
- · Heavy Duty Nylon Pegs
- Ladder Bands
- · Peg Bag
- Figure of 8
- Canvas Holdall Bag
- Half Screen Ventilation on one side



- Techline Secure Strap (SL500)
- Standard Annexe (SL945-T/SL945-P)
- Tall Annexe (SL944-P)
- Standard Annexe Inner Tent (IT015)
- Tall Annexe Inner Tent (IT091)
- Storm Legs (SL530)
- Roof Rafter Poles (SL529/SL529-C)
- Protech Roof Raisers (See Page 29)
- Veranda Poles (See Page 29)
- Roof Liner (See Page 29)

- Regal Carpet (See Page 29)
- Techline Centre Strap (SL580)
- Awning Inner Tent (IT018)
- Omnibrite Lighting System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)
- Wheeled Bag (1052)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Techline Secure Plus Bracket (SL580)
- Fibre Frames(see specification sheet page 28)
- Titan (SL5058)

Size	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
A-Measurement	725-	750-	775-	800-	825-	850-	875-	900-	925-	950-	975-	1000-	1025-	1050-	1075-	1100-
A-weasurement	750	775	800	825	850	875	900	925	950	975	1000	1025	1050	1075	1100	1125

DL STEEL FRAME DL Steel Frame Diagram 17-19

Durable 22mm/25mm steel frame fitted with our unique griplock clamp each section is telescopic and numbered for ease of use.



Introducing the new techline fibre frame suitable for touring use, made from fibre material making it a lightweight frame and easy to assemble. The techline poles have a black sleek finish which will compliment your awning.

DUKE

SEASONAL AIR PORCH AWNING

The Duke seasonal air awning is made from SR18 seasonal material. Measuring at 4m x 2.4m it is the ideal size for those long sited stays. All windows have privacy blinds. The windows at the front not only give you great views they can also be used as to create 4 different door options or veranda style ideal for all your caravanning needs. The single inflation point makes assembly quick and easy so you can spend more time enjoying your holiday.

SPECIFICATIONS

Height: Fits caravans 235 cm to 255 cm
 Size: Width 400cm x Depth 240cm

Colour : Anthracite/Light Grey
 Weight : 29kgs approximately

Roof Material: Climatech SR18 all season coated polyester
 Wall Material: Climatech SR18 all season coated polyester

FRAME

. Easy Air Frame Tubes

· 2 x Alloy Canopy Poles

Single Inflation Point

2 x Alloy Vertical Uprights Poles

· Multiple Deflation Points

FEATURES

- High Volume Pump with Pressure Gauge
- · Attachment Points for an Inner Tent
- Privacy Blinds
- . Single Inflation Point and 3 Deflation Points with Non-Return Valves
- · Half Mesh Window on Each Side
- Techline Zips
- · Draft Skirt
- · Wheel Arch Cover
- Curtains
- Heavy Nylon Peg
- Ladder Bands
- · Peg Bag
- · Repair Kit and Canvas Holdall Bag
- · Storm Buckles
- Half Mesh Window











- Techline Secure Straps (SL500)
- . Awning Annex (SL915II)
- Annex Inner Tent (IT091)
- Veranda Poles (SL532-A)
- Electric Air Pump (1055)
- Roof Liner (SL592V)
- Roof Rafter Air Tube (SL531)
- Titan (SL5058)

- Regal Carpet (See Page 29)
- Techline Vertical Support Poles (SL5022/SL570-C)
- . Omnibrite Lighting System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Alloy Rear Support Legs (SL570-B/SL570-C)
- · Packing Pads (SL5020)
- Wheeled Bag (1052)

MODEL	WIDTH(CM)	DEPTH(CM)
DUKE	400	240

DUCHESS

TOURING PORCH AWNING

The Duchess touring porch is made from quality SR17 climatech material and has all the features of a traditional awning but at 3.4m wide by 2.4m deep it's an ideal size for those shorter breaks. The windows at the front not only give you great views they can also be used as to create 4 different door options or veranda style ideal for all your caravanning needs.

SPECIFICATIONS

Fits caravans 235 cm to 255 cm · Height: · Size: Width 340cm x Depth 240cm

· Colour : Anthracite/Light Grey · Weight: 29kgs approximately

Roof Material: Climatech SR18 all season coated polyester

Wall Material: Climatech SR17 coated polyester

FRAME

22MM/25MM Steel Frame Fitted with Griplock Clamps

FEATURES

- . A half mesh Window Located on the Side Panel
- · Unilok Pads
- Techline Zips
- Draft Skirt
- Wheel Arch Cover
- Curtains
- . Heavy Duty Nylon Pegs
- Ladder Bands
- · Peg Bag
- · Canvas Holdall Bag











- Techline Secure Straps (SL500)
- Veranda Poles (SL517)
- Omnibrite Lighting System (SL5010)
- . Omnibrite Lighting System Top Up (SL5011)
- Alloy Rear Support Legs(SL570-B/SL570-C)
- Wheeled Bag (1052)
- Regal Carpet (See Page 29)

- · Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Annex Inner Tent (2 berth) (IT015)
- Standard Annex (SL945-T)
- Tall Annexe (SL944-P)
- Tall Annexe Inner Tent (IT091)

MODEL	WIDTH(CM)	DEPTH(CM)
DUCHESS	340	240



STARLINE

The Starline range is one of the most versatile in its class made from quality 210D climatech material, UPF50+ and fitted with 4mm and 6mm beading it is suitable for both caravans and a non driveaway motorhome awning. The exceptional internal height gives you maximum living area. The front windows can be used as extra wide doors or veranda style and the internal blinds give you privacy when needed, there is also a large door in both the side panels for easier use and the panels can be removed to fit an annexe or to make it easier to assemble.

SPECIFICATIONS

- 260/300 Widths (2 front windows)
- 390 Widths (3 front windows)
- Depth 250cm
- Colour:Anthracite /Light Grey
- Grey Available in 260,300 and 390
- Blue Available in 260 and 300
- Weight: 260cm-16kg/300cm-17kg/ 390cm-20kg approximately

FEATURES

- High Volume Pump
- with Pressure Gauge
- Highly Visible Guy Ropes
- Large Fly Screen
- Attachment Points for an inner Tent
- Sew in Rear Cushioned Pads
- Individual Inflatable Points

- Draft Skirt
- Heavy Duty Nylon Pegs
- Ladder Bands
- Peg Bag
- Repair Kit
- Canvas Holdall Bag
- Internal Privacy Blinds

*ANNEX AND VERANDA BAR OPTIONAL EXTRA / **390 THREE WINDOWS 260/300 TWO WINDOWS**

WIDTH(CM)	HEIGHT(CM)
260	235-250
300	235-250
390	235-250









STARLINE

NON DRIVEAWAY MOTORHOME **AWNING**

The starline can be fitted to your vehicle either by the twin beading that can be slotted into the channel on your vehicle (if applicable) or the channel on your wind out canopy (a driveaway kit is available for easier use) or by guylines. The 3m wide starline is the only one in the range that is available in three different heights (Low 235cm-250cm, Medium 250cm-265cm, High 265cm-280cm) to suit most camper and motorhome needs. The 260 and 390 wide starlines are only available in the low model.

- Starline Standard Annex (SL912 IV)
- Starline Tall Annex (SL914 IV)
- Awning Inner Tent (2 berth)(IT093)
- Starline Standard Annex Inner Tent (IT090)
- . Starline Tall Annex Inner Tent (IT091)
- Alloy Rear Support Legs (SL570-B/SL570-C)
- 260/390 Veranda Bar (SL517-A)
- 300 Veranda Bar (SL517-C)
- Techline Secure Straps (SL5001)
- Omnibrite Lighting System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)
- · Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- . Electric Air Pump (1055)
- Wheeled Bag (1052)
- Packing Pads (SL5020)
- Regal Carpet 260-300-390

WIDTH(CM)	HEIGHT(CM)
260L	235-250
300L	235-250
300M	250-265
300H	265-280
390L	235-250













*ANNEX AND VERANDA BAR OPTIONAL EXTRA / THREE WINDOWS











VISCOUNT 400

TOP QUALITY INFLATABLE AWNING

The Viscount is our flagship inflatable awning, made for high quality SY17 climatech material its exceptional design and specifications makes it an ideal awning for all your holiday needs, the panoramic windows and 3m depth give this awning a spacious feel and the front and side panels can be removed for easier erection, Twin beading enables the Viscount to also be used on a motorhome between heights 215cm to 250cm as a non driveaway awning.

SPECIFICATIONS

Fits caravans 235 cm to 250 cm high · Height:

400cm width, 300cm depth Size: · Colour: Anthracite/Light Grey/Black

· Weight: 33kg Approximately · Material: Climatech SY17

FEATURES

- High Volume Pump With Pressure Gauge
- Highly Visible Straps
- Large Flyscreens
- · Attachment Points For an Inner Tent
- Sewn In Rear Cushioned Pads
- One main inflation points with Non-return valves
- Dual beading 6-4mm
- · Draught Skirt
- Wheel Arch Cover
- · Heavy Duty Nylon Pegs
- Ladder Bands
- Peg Bag
- · Repair Kit
- · Canvas Holdall Bag
- Door Mesh
- · Storm Straps
- Curtains



- Awning Inner Tent (2 berth) (IT093)
- Alloy Rear Support legs (SL570-B/SL570-C)
- Inflatable Front Veranda Bars (SL517-F)
- Inflatable Front Side Veranda Bars (SL517-G)
- Techline Secure Straps (SL5002)
- Awning annexe(SL917)
- Roof Liner(SL596V)

- Omnibrite Light System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Packing Pads (SL5020)
- Electric Air Pump (1055)
- Groundsheet (SL5033)

MODEL	WIDTH(CM)	DEPTH(CM)
VISCOUNT 400	400	300

MOTO CROWN

DRIVEAWAY MOTORHOME AWNING

The Crown is a driveaway motorhome air awning measuring 3m wide, 3m deep.It has an exceptional internal living area. The back tunnel is available in three heights options to accomodate most campervans and motor homes and has a door for easy access into your vehicle. The canopy over the door protects you from the elements and the vent just below allows circulation of air and the internal blinds enables privacy when needed. Made from quality climatech 210D material and a single inflation point, the crown covers all your holiday needs.

SPECIFICATIONS

- Tunnel Low (180cm-210cm)
- Tunnel Medium (210cm-235cm)
- Tunnel High (235cm-295cm)
- Tunnel Depth: 90cm
- Width: 300cm, Depth: 390cm (Including Tunnel)
- Floor Area: 300cm x 300cm Colour : Dark Grey/Light Grey
- Weight: 18kg approximately (Medium Moto Crown)
- Material: Climatech 210D fire retardant coated polyester

FEATURES

- High Volume Pump with Pressure Gauge
- Highly Visible Guy Ropes
- · Attachment Points for an Inner Tent
- Privacy Blinds
- Flyscreen
- Single Inflation Points With Non-Return Valves
- Dual beading 6-4mm fitted to the tunnel
- Heavy Duty Nylon Pegs
- Ladder Bands
- Peg Bag
- Repair Kit
- Front Window Canopy
- . Guy Line Attachment for Securing to the Van
- Canvas Holdall Bag



ANNEXE OPTIONAL EXTRA

- Techline Secure Straps (SL5001)
- Driveaway Adaptor Kit (SL522-B)
- Groundsheet (SL5026)
- Awning Annexe (SL916)
- Annexe Inner Tent (IT094)
- Omnibrite Lighting System (SL5010)
- Omnibrite Lighting System Top Up (SL5011)

- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Electric Air Pump (1055)
- Wheeled Bag (1052)

MOTO CROWN	L	М	H
TUNNEL HEIGHT RANGE	180-210CM	210-235CM	235-295CM

MOTO MONARCH

DRIVEAWAY CARAVAN & MOTORHOME AWNING

The Monarch is a driveaway campervan/motorhome awning available in 3 heights to fit most vehicles, the 3 large windows and 2 vents gives the awning a light and airy feel but also has external privacy blinds. The large back tunnel has a 2 side doors to make it more convenient to enter your vehicle. Made from Climatech 190T quality material it is ideal for all your holiday needs.

SPECIFICATIONS

- Tunnel Low (180-210cm)
- Tunnel Medium (210-235cm)
- Tunnel High(235-295cm)
- . Tunnel Depth: 130 cm
- · Width: 280cm, Depth: 355cm (Including Tunnel)
- Floor Area: 280cm x 225cm
- Colour : Dark Grey/Light Grey
- Weight: 15.2 kg approximately (Low Moto Monarch)
- · Material: Climatech 190T coated polyester

FEATURES

- · High Volume Pump with Pressure Gauge
- · Highly Visible Guy Ropes
- · Attachment Points for an Inner Tent
- Privacy Blinds
- Large Flyscreens
- Individual Inflation Points With Non-Return Valves
- Dual beading 6-4mm fitted to the tunnel
- Heavy Duty Nylon Pegs
- Ladder Bands
- Peg Bag
- · Repair Kit
- Front Window Canopy
- . Guy Line Attachment for Securing to the Van
- Canvas Holdall Bag
- External Privacy Blinds



- Techline Secure Straps (SL5001)
- . Driveaway Adaptor Kit (SL522-B)
- Groundsheet (SL5021)
- . Omnibrite Lighting System (SL5010)
- . Omnibrite Lighting System Top Up (SL5011)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Electric Air Pump (1055)
- Wheeled Bag (1052)

MOTO MONARCH	Ľ	M	Н
TUNNEL HEIGHT RANGE	180-210CM	210-235CM	235-295CM

MOTO KINGSTON

DRIVEAWAY CARAVAN& MOTORHOME AWNING

The Kingston is a driveaway motorhome air awning measuring 3m wide and over all depth 2.8m. It has an excellent internal living area. The back tunnel is available in one height to accommodate lower campervans and motor homes and has a door for easy access into your vehicle. The internal blinds enables privacy when needed. Made from quality climatech 190T material and has multiple inflation points, the Kingston covers all your holiday needs.

SPECIFICATIONS

Tunnel Height Size: Low (180-210cm)

Width: 300cm, Depth: 280cm (Including Tunnel)

Tunnel Depth: 90cm

Floor Area: 300cm x 190cm
 Colour: Dark Grey/Light Grey
 Weight: 14kg Approximately

Material: Climatech 190T Coated Polyester

FEATURES

- High Volume Pump with Pressure Gauge
- Highly Visible Guy ropes
- Attachment Points for an Inner Tent
- Internal Privacy Blind
- Large FlyScreens
- · Individual Inflation Points With Non-Return Valves
- Dual beading 6-4mm fitted to the tunnel
- Steel Pegs
- Ladder Bands
- Peg Bag
- Repair Kit
- Groundsheet Included
- · Side has ventilation panel
- · Guy line Attachment for Securing to the Van
- Canvas Holdall Bag
- 2 Windows



- Techline Secure Straps (SL5001)
- Driveaway Kit Adaptor (SL522-B)
- Omnibrite Lighting System (SL5010)
- . Omnibrite Lighting System Top UP (SL5011)
- Camptech Portable Power for Omnibrite Light System and Mobile Devices (SL5012-10K)
- Electric Air Pump (1055)
- Wheeled Bag (1052)

MODEL	WIDTH(CM)	DEPTH(CM)	TUNNEL HEIGHT(CM)
MOTO KINGSTON	300	280	180-210

SUNSHADES SUSSEX



The Sussex Sunshade is available in three widths 300/360/400 cm by 240cm deep and is made from all season polyester together with the steel upright poles it is ideal for those sunnier days when shade is needed.

SPECIFICATIONS

· Canopy Material: 100% polyester

300/360/400cm widths,240cm depth Size:

steel Ø19/22 mm · Pole:

• Weight: 6.15 kgs - Approximately

Dual beading 6-4mm fitted to the tunnel

- · 3 Steel Poles
- · Pegs
- Guylines
- · Carry Bag

SUSSEX SUNSHADE	WIDTH(CM)	DEPTH(CM)
SL5025-300	300	240
SL5025-360	360	240
SL5025-400	400	240

HASTING AIR



The Hasting Air Sunshade is available in two widths 350/450 by 240cm deep creating a perfect canopy shade for them sunnier days. The Hasting Air Sunshade is easily erected with the single inflation air beam and made from quality Climatech SY17 material with optional side panels for that added protection from wind or to create privacy.

SPECIFICATIONS

- Canopy Material: 100% polyester
- Size: 350/450cm widths,240cm depth
- Pole: Air Frame Ø10cm
- Weight: 12 kgs Approximately
- Highest point at front :195cm
- Suitable for Awning Rail Height: 235 250 cm
- Dual beading 6-4mm fitted to the tunnel

- Single Point Inflation
- Pump
- Pegs
- Guylines
- Carry Bag

HASTING AIR SUNSHADE	WIDTH(CM)	DEPTH(CM)
SL5047-350	350	240
SL5047-450	450	240

ANNEXES & INNER TENTS FOR TRADITIONAL & INFLATABLE AWNINGS



MODEL	WIDTH	DEPTH
Seasonal DL Standard Annex(SL945-K)	180cm	155cm
Awning Inner Tent (IT018)	2 berth	
Standard Annex Inner Tent(IT015)	2 berth	



MODEL	WIDTH	DEPTH
Touring Tall Annex for Duchess and 2022 Model New Cayman (SL944-P)	180cm	200cm
Awning Inner Tent (IT018)	2 berth	
Tall Annex Inner Tent (IT091)	2 berth	



MODEL	WIDTH	DEPTH
Standard Annex for Duchess and 2022 Model Cayman (SL945-P/SL945-T)	180cm	155cm
2022 Model Cayman Awning Inner Tent(IT015)	2 berth	
Duchess Annex Inner Tent(IT015)	2 berth	



MODEL	WIDTH	DEPTH
Seasonal Tall Annex with Blinds YKK (SL944-KB)	180cm	200cm
Awning Inner Tent (IT018)	2 berth	
Tall Annex Inner Tent (IT091)	2 berth	



MODEL	WIDTH	DEPTH
Starline Standard Annex (SL912)	180cm	220cm
Awning Inner Tent (IT093)	2 berth	
Starline Standard Annex Inner Tent(IT090)	2 berth	



MODEL	WIDTH	DEPTH
Starline Tall Annex (SL914)	180cm	210cm
Awning Inner Tent(IT093)	2 be	rth
Starline Tall Annex Inner Tent(IT091)	2 berth	



MODEL	WIDTH	DEPTH
Moto Crown Annex (SL916)	160cm	220cm
Awning Inner Tent		_
Moto Crown Annex Inner Tent (IT094)	2 be	orth



MODEL	WIDTH	DEPTH
Kensington& Duke Annex(SL915II)	180cm	210cm
Awning Inner Tent (IT018)	2 berth	
Kensington& Duke Annex Inner Tent (IT091)	2 berth	



MODEL	WIDTH	DEPTH			
Viscount Annex (SL917)	180cm 210cm 2 berth				
Awning Inner Tent (IT093)					
Viscount Annex Inner Tent(IT091)	2 berth				

ANNEXES & INNER TENTS FOR INFLATABLE & PORCH AWNINGS



MODEL	SIZE
Traditional Inner Tent(IT018)	2 berth



MODEL	SIZE
Tall Annex Inner	21
Tent(IT091)	2 berth



SIZE

2 berth

MODEL

Standard Annexe

Inner Tent(IT015)



MODEL	SIZE
Crown	
Annexe Inner	2 berth
Tent(IT094)	



MODEL	SIZE
Monarch Inner Tent(IT092)	2 berth



MODEL	SIZE
Starline Inner Tent(IT093)	2 berth



MODEL	SIZE
StarlineTall Annex Inner Tent(IT091)	2 berth



MODEL	SIZE
Viscount Inner Tent (IT093)	2 berth



MODEL	SIZE
Viscount Annex Inner Tent(IT091)	2 berth

CARNIVAL WINDBREAK

LUXURY WINDBREAK THAT COMPLIMENTS **ALL AWNINGS**

Quick and easy to set up, the carnival windbreak gives you ample protection from the wind, while providing a little bit of privacy. Produced in our Climatech 300D fire retardant coated polyester, these windbreak will stand the tests of time. There are two models to choose from,the Standard model has four panels with two of the middle panels having tinted windows.

The Lux model is made from the same material and has four panels. There are tinted windows on all four panels, each with privacy blinds that can be zipped closed. Whilst unzipped the blinds can be rolled down and tucked into the pockets which are located underneath each window. Both windbreaks measure 460cm x 130cm and have a colour combination of light grey/dark grey. They include a set of 19mm zinc plated poles and complete with pegs and guy lines.







OPTIONAL EXTRA

Windbreak Footplate(SL5057)

Carnival Windbreak	Size		
Standard(2 window without blinds)	400-400		
Lux(4 window with blinds)	460x130cm		

BOSWORTH AIR WINDBREAK

The Bosworth air windbreak is made from quality 210D material supplied with three panels, additional panels can also be bought and attached as an optional extra to suit your needs. Each panel has its own inflation point and is 1.4m height and 1.65m wide with a window at the top giving you both privacy and a view, because each panel is hinged with a zip you can configure the windbreak which ever way you require.

An Additional caravan adaptor kit can be bought to attach the Bosworth air windbreak directly to the caravan.

SPECIFICATIONS

- · Single Panel Sizes: 165cm Wide 140cm Height
- Material: 210D Polyester · Colour : Black / Light Grey
- · Weight: 3.00kg Approximately (Single Panel)

FEATURES

- · Single Inflation Points
- PVC Window Panels
- Inflation Air Frame Tube on Each Panel
- · Three Panels
- Guide Lines
- Zip Attachment
- The Bosworth can be directly zipped into most camptech awnings when the side panel is removed





OPTIONAL EXTRA

- Caravan Adaptor Kit (SL5028)
- Extension Panel (SL521-E)
- · Air Pump (SL-AD-HVP)



OPTIONAL





MODEL	WIDTH(CM)	HEIGHT(CM)
Three Sections (SL521-E3)	495	140
Optional Extra Sections(SL521-E)	165	140

SPECIFICATIONS 2022

Model poled awnings		Side Doors	Ventilation With zip cover	Zipped Privacy Blind	Detachable Front & Side Panels	Veranda Effect Front	Veranda Effect Side	wall	Roof Material	Draught Skirt & Wheel Cover	Curtains	Unilok Pads	Front Window Size 8-11	Front Window Size 12-22	Techline Buckles	PILIS	(cm)	Recommended For Seasonal	Suitable For Touring
Buckingham	4	2	3	YES	YES	YES	YES	SR21	SR21	YES	YES	YES	4	4	4	YES	300	YES	YES
Atlantis DL	4	2	3	YES	YES	YES	YES	SR21	SR21	YES	YES	YES	4	4	4	YES	240	YES	YES
Savanna DL	2	2	2	YES	YES	YES	YES	SR17	SR18	YES	YES	YES	2	4	4	YES	240	YES	YES
Cayman	2	4	- 1	N/A	YES	YES	NO	SR17	SR18	YES	YES	YES	2	2	2	NO	240	NO	YES
Duchess	4	2	2	N/A	YES	YES	NO	SR17	SR18	YES	YES	YES	2	2	2	NO	240	NO	YES


Frame Specification	Grip Lock	Frame Size	Fibre Frame Size	Roof & Leg Poles With Size 8-10	Roof & Leg Poles With Size 11-13	Roof & Leg Poles With Size 14-22	Roof Raiser pole with size 20-22
Buckingham	YES	25/22mm	N/A	3 ROOF 3 LEG	5 ROOF 3 LEG	5 ROOF 5 LEG	2
Atlantis DL	YES	25/22mm	29/26/23mm	3 ROOF 3 LEG	5 ROOF 3 LEG	5 ROOF 5 LEG	2
Savanna DL	YES	25/22mm	29/26/23mm	3 ROOF 3 LEG	5 ROOF 3 LEG	5 ROOF 5 LEG	2
Cayman	YES	25/22mm	29/26/23mm	3 ROOF 3 LEG	5 ROOF 3 LEG	5 ROOF 5 LEG	N/A
Duchess	YES	25/22mm	N/A	3 ROOF 3 LEG	5 ROOF 3 LEG	5 ROOF 5 LEG	N/A

Air Porch Awnings	Front Doors	Side Doors	Ventilation With zip cover	Zipped Privacy Blind	Internal Blinds/ Curtians	Detachable Front Panels	Detachable Side Panels	Veranda Effect Front	Veranda Effect Side	Wall Material	Roof Material	Draught Skirt	Fit Heights (cm)	Depth (cm)	Manual Air Pump/ Suitable For Touring	Recommended For Seasonal
Kensington	4	2	2	N/A	Curtains	YES	YES	YES	YES	SR17	SR18	YES	N/A	240	YES	N/A
Duke	4	2	3	YES	Curtains	YES	YES	YES	YES	SR18	SR18	YES	235-255	240	YES	YES
Viscount	3	2	2	N/A	Curtains	YES	YES	YES	N/A	SY17	SY17	YES	235-250	300	YES	N/A
Starline 260	2	2	2	N/A	Blinds	N/A	YES	YES	N/A	210D	210D	YES	235-250	250	YES	N/A
Starline 300L	2	2	2	N/A	Blinds	N/A	YES	YES	N/A	210D	210D	YES	235-250	250	YES	N/A
Starline 300M	2	2	2	N/A	Blinds	N/A	YES	YES	N/A	210D	210D	YES	250-265	250	YES	N/A
Starline 300H	2	2	2	N/A	Blinds	N/A	YES	YES	N/A	210D	210D	YES	265-280	250	YES	N/A
Starline 390	3	2	2	N/A	Blinds	N/A	YES	YES	N/A	210D	210D	YES	235-250	250	YES	N/A
Moto Kingston	1	Tunnel Door 1	1	N/A	Blinds	N/A	N/A	N/A	N/A	190T	190T	N/A	180-210	280	YES	N/A
Moto Crown L	1	Tunnel Door1	2	N/A	Blinds	N/A	N/A	N/A	N/A	210D	210D	N/A	180-210	390	YES	N/A
Moto Crown M	1	Tunnel Door1	2	N/A	Blinds	N/A	N/A	N/A	N/A	210D	210D	N/A	210-235	390	YES	N/A
Moto Crown H	1	Tunnel Door1	2	N/A	Blinds	N/A	N/A	N/A	N/A	210D	210D	N/A	235-295	390	YES	N/A
Moto Monarch L	1	Tunnel Door2	2	YES	Blinds	N/A	N/A	N/A	N/A	190T	190T	N/A	180-210	355	YES	N/A
Moto Monarch M	1	Tunnel Door2	2	YES	Blinds	N/A	N/A	N/A	N/A	190T	190T	N/A	210-235	355	YES	N/A
Moto Monarch H	1	Tunnel Door2	2	YES	Blinds	N/A	N/A	N/A	N/A	190T	190T	N/A	235-295	355	YES	N/A


Poled awnings Optional Extras	Techline Secure Straps	Techline Secure Plus Strap	Protech Roof Raiser Poles 11-13	Protech Roof Raiser Poles 14-16	Protech Roof Raiser Poles 17-19	Roof	Veranda Pole Standard 1.9-2.6M	Pole Large	Storm Poles	Roof Rafter Poles	Unilok Pad	Omnibrite Light Starter	Omnibrite	Portable Power Pack	Inner	Tall Annexe Inner Tent	Standard Annexe Inner Tent		Standard Annexe	Alloy Rear Leg Poles
Buckingham	SL500	SL580	SL528-D	SL528-A	SL528-B	SL528-C	SL527-A	SL527-B	SL530		SL539-B	SL5010	SL5011	SL5012-10K	IT018	IT091	IT015	SL944-KB	SL945-K	N/A
Atlantis DL	SL500	SL580	SL528-D	SL528-A	SL528-B	SL528-C	SL527-A	SL527-B	SL530		SL539-B	SL5010	SL5011	SL5012-10K	IT018	IT091	IT015	SL944-KB	SL945-K	N/A
Savanna DL	SL500	SL580	SL528-D	SL528-A	SL528-B	SL528-C	SL527-A	SL527-B	SL530	SL529/C	SL539-B	SL5010	SL5011	SL5012-10K	IT018	IT091	IT015	SL944-KB	SL945-K	N/A
Cayman	SL500	SL580	SL528-D	SL528-A	SL528-B	SL528-C	SL527-A	SL527-B			SL539-B	SL5010	SL5011	SL5012-10K	IT018	IT091	IT015	SL944-P	SL945-P SL945-T	IN/A
Duchess	SL500	SL580	N/A	N/A	N/A	N/A	N/A	N/A	SL530		SL539-B	SL5010	SL5011	SL5012-10K	N/A	IT091	IT015	SL944-P	SL945-T	SL570-B SL570-C

Awning Roof Liner	Regal Carpet	Size 4	Size 5	Size 6	Size 7	Size 8	Size 9	Size 10	Size 11	Size 12	Size 13	Size 14	Size 15	Size 16	Size 17	Size 18	Size 19	Size 20	Size 21	Size 22	Porch Roof liner
Buckingham(SL595V)	SL5037	N/A	N/A	12	13	14	15	16	17	18	19	N/A	N/A	N/A	N/A						
Atlantis DL (SL591V/SL593V)	SL5034	N/A	N/A	N/A	N/A	N/A	09	10	11	12	13	14	15	16	17	18	19	20	21	22	N/A
Savanna DL(SL591V/SL593V)	SL5034	N/A	N/A	N/A	N/A	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	N/A
Cayman(SL591V/SL593V)	SL5034	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	N/A	N/A	N/A	N/A
Kensington (SL591V/SL593V)	SL5034	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	N/A
Duke	SL5034	N/A	N/A	06	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SL592V
Viscount	SL5033	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SL596V						
Duchess	SL5036	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A						

Full Air , Porch & Free Standing Air Awnings	Inflatable TechLine Secure Strap			Omnibrite Light Starter	Omnibrite Add On	Portable Power Pack	Veranda Tube	Drive Away Kit	Ground Sheet	Packing Pads	Awning Inner Tent	Annexe Inner Tent	Air Annexe	Alloy Veranda Bar size 6-9	Alloy Veranda Bar size 10-13	Alloy Veranda Bar size 14-17	Alloy Veranda Bar size 18-22	Duke/ Viscount Veranda Bar	Support
Kensington	SL500	N/A	1055	SL5010	SL5011	SL5012-10K	N/A	N/A	N/A	SL5020	IT018	IT091	SL915II	SL532-A	SL532-B	SL532-C	SL532-D	N/A	
Duke	SL500		1055	SL5010	SL5011	SL5012-10K	ALLOY SL532-A	N/A	N/A	SL5020	IT093	IT091	SL915II	N/A	N/A	N/A	N/A	SL532-A	SI5022/ SL570-C
Viscount	SL-5001		1055	SL5010	SL5011	SL5012-10K		N/A	N/A	SL5020	IT093	IT091	SL917	N/A	N/A	N/A	N/A	SL517-F/G	
Starline 260	SL-5001		1055	SL5010	SL5011	SL5012-10K	SL517-A	N/A	1021	SL5020	IT093	IT090	SL912/914	N/A	N/A	N/A	N/A	N/A	N/A
Starline 300L	SL-5001	SL570-B SL570-C	1055	SL5010	SL5011	SL5012-10K	SL517-C	N/A	1045	SL5020	IT093	IT090	SL912/914	N/A	N/A	N/A	N/A	N/A	N/A
Starline 300M	SL-5001		1055	SL5010	SL5011	SL5012-10K	SL517-C	N/A	1045	SL5020	IT093	IT090	SL912/914	N/A	N/A	N/A	N/A	N/A	N/A
Starline 300H	SL-5001		1055	SL5010	SL5011	SL5012-10K	SL517-C	N/A	1045	SL5020	IT093	IT090	SL912/914	N/A	N/A	N/A	N/A	N/A	N/A
Starline 390	SL-5001		1055	SL5010	SL5011	SL5012-10K	SL517-A	N/A	1022	SL5020	IT093	IT090	SL912/914	N/A	N/A	N/A	N/A	N/A	N/A
Moto Kingston	SL-5001	N/A	1055	SL5010	SL5011	SL5012-10K	N/A	SL522-B	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Moto Crown	SL-5001	N/A	1055	SL5010	SL5011	SL5012-10K	N/A	SL522-B	SL5026	N/A	N/A	IT094	SL916	N/A	N/A	N/A	N/A	N/A	N/A
Moto Monarch	SL-5001	N/A	1055	SL5010	SL5011	SL5012-10K	N/A	SL522-B	SL5021	N/A	IT092	N//A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



One of the most versatile lighting systems in the market the omnibrite system can be powered by 240V,12V or a portable power pack making it easy to use wherever you are! The USB plug means you can run it through numerous devices. The starter kit includes all the essentials for getting started and with the use of a top up kit (optional extra) you can extend your lighting experience as much as you require, suitable for all types of awnings, tents and general use.





Camptech Portable Power for Omnibrite™ Light System

Regal Carpet Item NO. Size Item NO. Size SL5033 400X300CM SL5034-19 723X240CM SL5034-04 SL5034-20 748X240CM 348X240CM SL5034-05 SL5034-21 773X240CM 373X240CM SL5034-22 798X240CM SL5034-06 398X240CM SL5036 345X240CM SL5034-07 423X240CM SL5037-12 548X240CM SL5034-08 448X240CM 573X240CM SL5037-13 SL5034-09 473X240CM SL5037-14 598X240CM SL5034-10 498X240CM SL5037-15 623X240CM SL5034-11 523X240CM SL5037-16 648X240CM SL5034-12 548X240CM 673X240CM SL5034-13 573X240CM SL5037-17 698X240CM SL5034-14 598X240CM SL5037-18 723X240CM SL5034-15 623X240CM SL5037-19 1021 250X260CM SL5034-16 648X240CM SL5034-17 673X240CM 1045 250X300CM 1022 250X390CM SL5034-18 698X240CM










Heavy Duty Hard Ground Heavy Duty Hard Ground Heavy Duty Steel Tent & Awning Pegs (14PCS) Tent & Awning Pegs (20PCS) Screw Peg Set(14PCS)








Techline Secure Straps for Starline & MotoAir inflatable awnings

Item No.: SL5002



Inflatable Storm Straps Item No.: SL500



Techline Secure Straps for Camptech traditional & porch awnings

Item No.: SL580



ExclusiveTechline Secure Plus System Add stability to the front of your awning

Item No.: SL517-A /C/F/G



Inflatable Veranda Bar - Sold Separately







Item No.: SL528 -A/B/C/D (see page 27)



Protech Roof Raiser Poles helps to prevent a sagging roof size 11-13 &14-16 &17-19 & 20-22

Item No.: SL570-B/C



Alloy Rear Poles & Vertical Support Poles

TRADITIONAL ROOF LINER

The Camptech roof liner is ideal to help reduce condensation and maintain temperature within the awning, they are easy to fit and are fitted with both clamps and toggles suitable for both traditional style poled and air awnings in our range.











Sovereign Melamine Dinner Set (16 PCS)

Item No.: 1015



Victoria Melamine Dinner Set (16 PCS)

Item No.: SL548-B/D/F/G



Curtains Sets for Savanna , Atlantis DL, Buckingham, Kensington, Duke and Duchess

Item No.: SL548-E/H



Curtains Sets for New Cayman and Viscount



Item Name	Item No.	Size	Weight
Sovereign King Sleeping Bag	1021	193x83cm	2150g/75oz
Sovereign Super King Sleeping Bag	1045	203x92cm	2500g/88oz



LUNA 2-IN-1 LED LIGHT & FAN

Item No.	1053
Product Size	8.7 x 6.9 in
Power	4 X 1.5V Batteries



Item No.: SL569

Griplock Clamps Set of 3



Item No.: SL539

Unilok Pads Set of 3





MERCURY SL926II



FEATURES

- Floor size of W 220cm x D 240cm
- Fit caravans heights between 235cm-250cm
- Roll up front panel
- Side door access
- Top corner vents

- Tie down kit. draft skirt & pegs included
- Manufactured from 150D material
- Manual air pump supplied
- Roll down window covers
- Alloy back pole & air roof support (optional extra)

MERCURY	WIDTH(CM)	DEPTH(CM)
SL926II	220	240



SATURN 390 SL200-390

FEATURES

- Floor size of W 390cm x D 240cm
- Fit caravans heights between 235cm-250cm
- Roll up front panels
- Side door access
- Side door mesh
- Roll down window covers
- Guyed ropes included
- Manufactured from 185T material
- Fiberglass rods, steel poles & back support poles included
- Draft skirt and pegs included

SATURN	WIDTH(CM)	DEPTH(CM)
SL200-390	390	240





SATURN 260

SL200-260


FEATURES

- Floor size of W 260cm x D 240cm
- Fit caravans heights between
- 235cm-250cm
- Roll up front panels
- Side door access
- Side door mesh
- Roll down window covers

- Guyed ropes included
- Manufactured from 185T material
- Fiberglass rods, steel poles &
- back support poles included
- Draft skirt and pegs included

SATURN	WIDTH(CM)	DEPTH(CM)
SL200-260	260	240

When choosing your awning it is vital that you know the size (A measurement) of your caravan. Measure your caravan from point A to point B in cm as shown in the picture. The measurement from ground to ground is the "A" measurement that can then be checked with the size chart to identify which awning size will fit your caravan.



Size	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
A Massauranian	725-	750-	775-	800-	825-	850-	875-	900-	925-	950-	975-	1000-	1025-	1050-	1075-	1100-	1125-	1150-	1175-
A-Weasurement	750	775	800	825	850	875	900	925	950	975	1000	1025	1050	1075	1100	1125	1150	1175	1200

Find us on Facebook and Instagram

http://www.facebook.com/camptechproductsItd



http://www.instagram.com/camptechproducts



All rights reserved on Camptech product designs and brand names. 2017 Camptech Products Limited

Camptech strives for continuous improvement and we reserve the right to alter specifications as considered necessary without prior notice





Camptech Products Limited

Unit 36-37 Stretford Motorway Estate Barton Dock Road Stretford Manchester M32 OZH

Camptech Products Ltd.

www.camptech.com

Email: info@camptech.com

Phone: 01977 529897